



2

Effect of Lake Characteristics on Mesoscale
Boundary Layer Structure

Final Report

Submitted to the
U.S. Army Research Office
4300 South Miami Blvd., P.O. Box 12211
Research Triangle Park, NC 27709-2211

Grant Number DAAL 03-91-G-0214
Grant Period July 1, 1991 to October 31, 1991

Submitted by

Sethu Raman
Department of Marine, Earth and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27695-8208

DTIC
ELECTE
APR 28 1992
S D

December 31, 1991

This document has been approved
for public release and sale; its
distribution is unlimited.

92-11093



92 4 27 309

REPORT DOCUMENTATION PAGE

OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE December 31, 1991	3. REPORT TYPE AND DATES COVERED Final; July 1, 1991 to Oct 31, 1991
4. TITLE AND SUBTITLE Effect of Lake Characteristics on Mesoscale Boundary Layer Structure			5. FUNDING NUMBERS DAAL 03-91-G-0214
6. AUTHOR(S) Sethu Raman			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) North Carolina State University Raleigh, NC 27605-8208			8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U. S. Army Research Office P. O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARL 29216.2-65
11. SUPPLEMENTARY NOTES The view, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.			
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) A three-dimensional mesoscale planetary boundary layer model was used to perform a series of model sensitivity studies to examine the effects of lake-land temperature difference, ambient wind magnitude and direction, lake size, surface roughness, the Coriolis force and baroclinic ambient wind conditions on mesoscale lake circulations. Results indicate lake size, speed and direction of ambient wind and the baroclinicity of the flow to be important factors influencing mesoscale convergence.			
14. SUBJECT TERMS			15. NUMBER OF PAGES
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL

1. PROBLEM STUDIED

Sudden change in roughness and heating induce changes in momentum and heat fluxes causing local accelerations and convergence zones. A large body of water such as a reservoir presents a sudden change in surface characteristics. Extent and degree of air mass modification and the associated wind structure would depend very much on the size and shape of the lake, surface heat flux gradient, ambient wind speed and wind shear to name a few. The main objective of this research will be to systematically investigate the effect of some of these parameters on mesoscale convergence and circulation over the lake and the surrounding land using a three-dimensional mesoscale numerical model.

2. SUMMARY OF MOST IMPORTANT RESULTS

- (a) Divergent flow of the lake-breezes causes a well defined lake-breeze convergence zone around the lake.
- (b) Spatial and temporal variations of this convergence zone and hence the convective activities are controlled to a large extent by the speed and direction of the ambient wind.
- (c) Lake size has an important effect in intensifying convection.
- (d) Surface roughness values over land influence the location and the magnitude of convection.
- (e) Initial baroclinic flow modifies mesoscale lake breeze circulation patterns.

3. PUBLICATIONS

Boybeyi, Z. and S. Raman, 1991; A Three-dimensional Sensitivity Study of Mesoscale Circulations Induced by Circular Lakes, Submitted to Meteorology and Atmospheric Physics.

4. SCIENTIFIC PERSONNEL

Sethu Raman, Professor, Principal Investigator.
Zafer Boybeyi, Graduate Student.

Accession For	
NTIS CRA&I	1000
DTIC TAB	
Unannounced Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

